

Patient Information	Specimen Information	Facility Information
<b>Patient Name :</b> Test <b>DOB :</b> Test <b>Age :</b> Test <b>Gender :</b> Male <b>Patient ID :</b> 1109 <b>Address:</b> Test	<b>Accession No. :</b> AD2402000000 <b>Date Collected :</b> 02/09/2024 03:07 PM <b>Date Received :</b> 02/09/2024 03:07 PM <b>Specimen Type :</b> Urine <b>Report Date :</b> 02/12/2024 07:12 PM	<b>Collection Facility :</b> DIRECT <b>Ordering Provider :</b> Test <b>NPI ID :</b> Test <b>Phone No :</b> Test <b>Address :</b>

**Screening**

Prescription: Hyrdocodone

**SPECIMEN VALIDITY TESTING**

TEST	RESULTS	FLAG	EXPECTED RESULTS
pH	6.8	Normal	4.5 - 9.5 mg/dL
Crea	186.8	Normal	20 - 350 mg/dL

**Screening Summary**

Drug Name	Results	Conc. (ng/mL)	Cut Off	Prescribed	Consistent
Opi	<b>Positive</b>	362	300	Not prescribed	Inconsistent

**Screening**

Drug name	Results	Cut Off
THC	Negative	50
PCP	Negative	25
Oxy	Negative	100
Opi	<b>Positive</b>	300
EDDP	Negative	1000
Coc	Negative	150
Bup	Negative	5
Benz	Negative	200
Barb	Negative	200
Amph	Negative	500

Scan to Validate



<u>Practice Information</u>	<u>Patient Information</u>	<u>Sample Information</u>
Provider : Dr. Test	Patient Name : TEST DOB : xx/xx/xxxx Gender : TEST Patient ID : 1109	Sample ID: AD000000000 Sample Type : Urine Collected : Mar 07, 2024, 01:00 p.m. Reported : Mar 09, 2024, 08:46 a.m.
Medication Prescribed: Hydrocodone		
Order Comments:		

**CONFIRMATION**

Name of Drugs	Results	Conc. (ng/mL)	Cutoff(ng/mL)	Prescribed	Comments
Hydrocodone	<b>Positive</b>	297.16	10 - 1000	<b>Yes</b>	<b>Consistent</b>
6-MAM	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
7-Aminoclonazepam	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
a-Hydroxyalprazolam	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Alprazolam	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Amitriptyline	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Amphetamine	<b>Negative</b>	N/A	40 - 4000	<b>No</b>	Consistent
Aripiprazole	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Benzoylcegonine	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Buprenorphine	<b>Negative</b>	N/A	7.5 - 750	<b>No</b>	Consistent
Bupropion	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Carisoprodol	<b>Negative</b>	N/A	30 - 3000	<b>No</b>	Consistent
Citalopram	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Clonazepam	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Codeine	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Cotinine	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Cyclobenzaprine	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Desmethyldoxepin	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Diazepam	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
Dihydrocodeine	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Doxepin	<b>Negative</b>	N/A	20 - 2000	<b>No</b>	Consistent
Duloxetine	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent
EDDP	<b>Negative</b>	N/A	10 - 1000	<b>No</b>	Consistent

Scan to Validate



The screening and confirmation of urine drug testing performed by LCMS by Triangle Molecular Toxicology LLC (CLIA: 34D2255993), Laboratory Director: Harsukh Gevariya, Ph.D., NRCC (CC). This test is a lab developed test and has not been cleared or approved by the FDA. This laboratory is regulated under CLIA as qualified to perform high complexity testing. These tests are used for clinical purposes and should not be regarded as investigational or diagnostic purposes.

<u>Practice Information</u>	<u>Patient Information</u>	<u>Sample Information</u>
Provider : Dr. Test	Patient Name : TEST DOB : xx/xx/xxxx Gender : TEST Patient ID : 1109	Sample ID: AD000000000 Sample Type : Urine Collected : Mar 07, 2024, 01:00 p.m. Reported : Mar 09, 2024, 08:46 a.m.
Medication Prescribed: Hydrocodone		
Order Comments:		

Fentanyl	Negative	N/A	5 - 500	No	Consistent
Fluoxetine	Negative	N/A	10 - 1000	No	Consistent
Gabapentin	Negative	N/A	50 - 5000	No	Consistent
Hydromorphone	Positive	234.11	10 - 1000	No	Inconsistent
Imipramine	Negative	N/A	10 - 1000	No	Consistent
JWH-18 PA	Negative	N/A	5 - 500	No	Consistent
JWH-73 BA	Negative	N/A	5 - 500	No	Consistent
Ketamine	Negative	N/A	10 - 1000	No	Consistent
Lamotrigine	Negative	N/A	10 - 1000	No	Consistent
Lorazepam	Negative	N/A	20 - 2000	No	Consistent
MDMA	Negative	N/A	30 - 3000	No	Consistent
Meperidine	Negative	N/A	10 - 1000	No	Consistent
Meprobamate	Negative	N/A	30 - 3000	No	Consistent
Methadone	Negative	N/A	10 - 1000	No	Consistent
Methamphetamine	Negative	N/A	50 - 5000	No	Consistent
Methylphenidate	Negative	N/A	10 - 1000	No	Consistent
Mitragynine	Negative	N/A	20 - 2000	No	Consistent
Mirtazapine	Negative	N/A	20 - 2000	No	Consistent
Morphine	Negative	N/A	20 - 2000	No	Consistent
Naloxone	Negative	N/A	10 - 1000	No	Consistent
Naltrexone	Negative	N/A	20 - 2000	No	Consistent
Norbuprenorphine	Negative	N/A	10 - 1000	No	Consistent
Norfentanyl	Negative	N/A	10 - 1000	No	Consistent
Normeperidine	Negative	N/A	20 - 2000	No	Consistent
Norhydrocodone	Negative	N/A	10 - 1000	No	Consistent

Scan to Validate



The screening and confirmation of urine drug testing performed by LCMS by Triangle Molecular Toxicology LLC (CLIA: 34D2255993), Laboratory Director: Harsukh Gevariya, Ph.D., NRCC (CC). This test is a lab developed test and has not been cleared or approved by the FDA. This laboratory is regulated under CLIA as qualified to perform high complexity testing. These tests are used for clinical purposes and should not be regarded as investigational or diagnostic purposes.

<u>Practice Information</u>	<u>Patient Information</u>	<u>Sample Information</u>
Provider : Dr. Test	Patient Name : TEST DOB : xx/xx/xxxx Gender : TEST Patient ID : 1109	Sample ID: AD000000000 Sample Type : Urine Collected : Mar 07, 2024, 01:00 p.m. Reported : Mar 09, 2024, 08:46 a.m.
Medication Prescribed: Hydrocodone		
Order Comments:		

Noroxycodone	Negative	N/A	20 - 2000	No	Consistent
Nortriptyline	Negative	N/A	20 - 2000	No	Consistent
ODM Tramadol	Negative	N/A	20 - 2000	No	Consistent
Oxazepam	Negative	N/A	20 - 2000	No	Consistent
Oxycodone	Negative	N/A	20 - 2000	No	Consistent
Oxymorphone	Positive	24.81	10 - 1000	No	Inconsistent
PCP	Negative	N/A	10 - 1000	No	Consistent
Phentermine	Negative	N/A	40 - 4000	No	Consistent
Propoxyphene	Negative	N/A	20 - 2000	No	Consistent
Quetiapine	Negative	N/A	10 - 1000	No	Consistent
Risperidone	Negative	N/A	10 - 1000	No	Consistent
Ritalinic Acid	Negative	N/A	10 - 1000	No	Consistent
Sertraline	Negative	N/A	10 - 1000	No	Consistent
Tapentadol	Negative	N/A	10 - 1000	No	Consistent
Temazepam	Negative	N/A	20 - 2000	No	Consistent
THC-COOH	Negative	N/A	20 - 2000	No	Consistent
Tramadol	Negative	N/A	10 - 1000	No	Consistent
Trazodone	Negative	N/A	10 - 1000	No	Consistent
Venlafaxine	Negative	N/A	10 - 1000	No	Consistent
Zolpidem	Negative	N/A	10 - 1000	No	Consistent

**Disclaimer:**

These results are not intended for use to diagnose, manage, treat, cure, or prevent any disease, or for application to forensic, employment, or court proceedings. Appropriate clinical management should be consulted with the patient's primary care provider. Results are intended to provide laboratory supplemental data for discretionary use, in conjunction with the other clinical patient profiles, presentations, signs, symptoms, history and physical findings obtained by the patient's primary care provider and do not necessarily reflect timing or dosage of administration. Parent drug or metabolite concentrations are subject to many metabolic factors, including but not limited to: hydration,

Scan to Validate



The screening and confirmation of urine drug testing performed by LCMS by Triangle Molecular Toxicology LLC (CLIA: 34D2255993), Laboratory Director: Harsukh Gevariya, Ph.D., NRCC (CC). This test is a lab developed test and has not been cleared or approved by the FDA. This laboratory is regulated under CLIA as qualified to perform high complexity testing. These tests are used for clinical purposes and should not be regarded as investigational or diagnostic purposes.

1832 Grandstand Dr.  
San Antonio, TX 75238  
Tel: (210) 467-5090 Fax: (210) 467-5090  
email: clientservices@alamodxlabs.com



<u>Practice Information</u>	<u>Patient Information</u>	<u>Sample Information</u>
Provider : Dr. Test	Patient Name : TEST DOB : xx/xx/xxxx Gender : TEST Patient ID : 1109	Sample ID: AD000000000 Sample Type : Urine Collected : Mar 07, 2024, 01:00 p.m. Reported : Mar 09, 2024, 08:46 a.m.
Medication Prescribed: Hydrocodone		
Order Comments:		

kidney and liver function, time and dose of drug ingestion, pharmacogenomics, etc. This laboratory has set specific cutoff values for each analyte. Laboratory results below cutoff values are not reported as a 'concentration' (numerical) value in accordance with industry standards. The performance specifications for the tests were developed and validated by the testing laboratory and are approved by and passed Clinical Laboratory Improvement Amendments (CLIA). Testing methodology is not regulated by the FDA and is therefore not approved by the FDA.

**Disclaimer:**

These results are not intended for use to diagnose, manage, treat, cure, or prevent any disease, or for application to forensic, employment, or court proceedings. Appropriate clinical management should be consulted with the patient's primary care provider. Results are intended to provide laboratory supplemental data for discretionary use, in conjunction with the other clinical patient profiles, presentations, signs, symptoms, history and physical findings obtained by the patient's primary care provider and do not necessarily reflect timing or dosage of administration. Parent drug or metabolite concentrations are subject to many metabolic factors, including but not limited to: hydration, kidney and liver function, time and dose of drug ingestion, pharmacogenomics, etc. This laboratory has set specific cutoff values for each analyte. Laboratory results below cutoff values are not reported as a 'concentration' (numerical) value in accordance with industry standards. The performance specifications for the tests were developed and validated by the testing laboratory and are approved by and passed Clinical Laboratory Improvement Amendments (CLIA). Testing methodology is not regulated by the FDA and is therefore not approved by the FDA.

**\*\*END OF REPORT\*\***

Scan to Validate






The screening and confirmation of urine drug testing performed by LCMS by Triangle Molecular Toxicology LLC (CLIA: 34D2255993), Laboratory Director: Harsukh Gevariya, Ph.D., NRCC (CC). This test is a lab developed test and has not been cleared or approved by the FDA. This laboratory is regulated under CLIA as qualified to perform high complexity testing. These tests are used for clinical purposes and should not be regarded as investigational or diagnostic purposes.

**Patient Name :** Test  
**Age/Gender :** Test, Female  
**Mobile No :**  
**Referral :** Test.

**Patient ID :** 347  
**Collected On :** Mar 13, 2024, 05:19 p.m.  
**Reported On :** Mar 14, 2024, 09:01 a.m.  
**Organization :** DIRECT

## Your Health Trend Report

### CONFIRMATION :

Test Name - (Unit)	31 Dec 23	25 Mar 24	Result Trends
<b>6-MAM</b> - (ng/mL) Normal Ranges : 10 - 1000	N/A	-	-
<b>7-Aminoclonazepam</b> - (ng/mL) Normal Ranges : 20-2000	N/A	N/A	-
<b>a-Hydroxyalprazolam</b> - (ng/mL) Normal Ranges : 20 - 2000	317.39	-	
<b>Alprazolam</b> - (ng/mL) Normal Ranges : 10-1000	197.52	108.27	
<b>Amitriptyline</b> - (ng/mL) Normal Ranges : 10-1000	4621.84	N/A	
<b>Amphetamine</b> - (ng/mL ) Normal Ranges : 40 - 4000	N/A	N/A	-
<b>Aripiprazole</b> - (ng/mL ) Normal Ranges : 10-1000	N/A	N/A	-
<b>Benzoylcegonine</b> - (ng/mL) Normal Ranges : 10-1000	N/A	N/A	-
<b>Buprenorphine</b> - (ng/mL) Normal Ranges : 7.5-750	N/A	N/A	-
<b>Bupropion</b> - (ng/mL ) Normal Ranges : 10-1000	N/A	N/A	-
<b>Carisoprodol</b> - (ng/mL) Normal Ranges : 30-3000	N/A	N/A	-

**Patient Name :** Test  
**Age/Gender :** Test, Female  
**Mobile No :**  
**Referral :** Test.

**Patient ID :** 347  
**Collected On :** Mar 13, 2024, 05:19 p.m.  
**Reported On :** Mar 14, 2024, 09:01 a.m.  
**Organization :** DIRECT

### Your Health Trend Report

<b>Citalopram - (ng/mL )</b> Normal Ranges : 20-2000	N/A	N/A	-
<b>Clonazepam - (ng/mL)</b> Normal Ranges : 20-2000	N/A	N/A	-
<b>Codeine - (ng/mL)</b> Normal Ranges : 20-2000	N/A	N/A	-
<b>Cotinine - (ng/ml)</b> Normal Ranges : 20-2000	578.68	223.24	
<b>Cyclobenzaprine - (ng/mL)</b> Normal Ranges : 10-1000	N/A	N/A	-
<b>Desmethyldoxepin - (ng/mL)</b> Normal Ranges : 20-2000	N/A	-	-
<b>Diazepam - (ng/mL)</b> Normal Ranges : 10-1000	N/A	-	-
<b>Dihydrocodeine - (ng/mL)</b> Normal Ranges : 20-2000	N/A	-	-
<b>Doxepin - (ng/mL)</b> Normal Ranges : 20 - 2000	N/A	N/A	-
<b>Duloxetine - (ng/mL )</b> Normal Ranges : 10-1000	N/A	N/A	-
<b>EDDP - (ng/mL)</b> Normal Ranges : 10-1000	30110.53	6789.91	
<b>Fentanyl - (ng/mL)</b> Normal Ranges : 5-500	N/A	N/A	-